

MPI Electronic SRL

Via De Amicis, 10
20010 Cornaredo (Milano) Italy
phone +39 293 61 101
www.mpielectronic.com
www.mpielectronic.com



Rebstockweg 32C
CH-3232 Ins
phone +41 (079) 251 33 79
andres@andresaudio.ch



July 2026
Incl. 8.1 % MwSt./TVA

ASTER



SYSTEM 2-Way outdoor loudspeaker system,
FREQUENCY RESPONSE 60 Hz - 32000 Hz,
SENSITIVITY 84dB SPL IMPEDANCE 6 Ohm,
SUGGESTED POWER OUTPUT 125 W
DIMENSIONS (HxWxD) 150 x 330 x 195 mm
WEIGHT 3.1 Kg

White Unit **CHF 525.00**
Black

LUMINA SERIE

Lumina I



SYSTEM 2-Way shelf loudspeaker system,
FREQUENCY RESPONSE 65 Hz - 24000 Hz,
SENSITIVITY 84dB SPL IMPEDANCE 4 Ohm,
SUGGESTED POWER OUTPUT 30 - 100 W
without clipping
DIMENSIONS (HxWxD) 280 x 148 x 213 mm
WEIGHT 4.4 Kg each

Black Pair **CHF 990.00**
Walnut
Wenge

Lumina II



SYSTEM 2-Way shelf loudspeaker system,
FREQUENCY RESPONSE 65 Hz - 24000 Hz
Hz, SENSITIVITY 84dB SPL IMPEDANCE 4
Ohm, SUGGESTED POWER OUTPUT 30 -
150 W without clipping DIMENSIONS (HxWxD)
340 x 180 x 263 mm WEIGHT 5.8 Kg each

Black Pair **CHF 1'395.00**
Walnut
Wenge

Lumina II Amator



SYSTEM 2-Way shelf loudspeaker system,
FREQUENCY RESPONSE 65 Hz - 24000 Hz Hz,
SENSITIVITY 84dB SPL IMPEDANCE 4 Ohm,
SUGGESTED POWER OUTPUT 30 - 150 W
without clipping DIMENSIONS (HxWxD) 340 x
180 x 263 mm WEIGHT 5.8 Kg each

Red Pair **CHF 1'680.00**
Wenge
Walnut

Lumina III



SYSTEM 3-Way floorstanding loudspeaker
system
FREQUENCY RESPONSE 40 Hz - 24000 Hz,
SENSITIVITY 89dB SPL IMPEDANCE 4 Ohm,
SUGGESTED POWER OUTPUT 30 - 250W
without clipping DIMENSIONS (HxWxD) 989 x
228 x 278 mm WEIGHT 15.9 Kg each

Black Pair **CHF 2'500.00**
Walnut
Wenge

Lumina V



SYSTEM 3-Way floorstanding loudspeaker system
FREQUENCY RESPONSE 38 Hz - 24000 Hz,
SENSITIVITY 89dB SPL IMPEDANCE 4 Ohm,
SUGGESTED POWER OUTPUT 50 - 300W
without clipping DIMENSIONS (HxWxD) 1049 x
280 x 372.6 mm WEIGHT 22.5 Kg each

Black
Walnut
Wenge

Pair

CHF 3'250.00

Lumina V Amator



SYSTEM 3-Way floorstanding loudspeaker system
FREQUENCY RESPONSE 38 Hz - 24000 Hz,
SENSITIVITY 89dB SPL IMPEDANCE 4 Ohm,
SUGGESTED POWER OUTPUT 50 - 300W
without clipping DIMENSIONS (HxWxD) 1049 x
280 x 372.6 mm WEIGHT 22.5 Kg each

Red
Wenge
Walnut

Pair

CHF 3'900.00

Lumina Center



SYSTEM 2-Way center loudspeaker system,
FREQUENCY RESPONSE 65 Hz - 24000 Hz,
SENSITIVITY 87dB SPL IMPEDANCE 4 Ohm,
SUGGESTED POWER OUTPUT 30 - 100 W
without clipping DIMENSIONS (HxWxD)
168.6 x 523.6 x 212.7 mm, WEIGHT 7.6 Kg

Black
Walnut
Wenge

Unit

CHF 850.00

SONETTO G2 SERIE

Sonetto VIII G2



SYSTEM 3 way floorstanding speaker.
FREQUENCY RESPONSE 33 Hz - 40000 Hz
SENSITIVITY (2.83V/1M) 90dB SPL NOMINAL
IMPEDANCE 4 ohm SUGGESTED
AMPLIFIER POWER OUTPUT 50W – 400W
without clipping - TOTAL DIMENSIONS
(HxWxD) 1179 x 334 x 480 mm - WEIGHT 45,3
Kg each

Walnut
Wenge
Piano Black

Pair

CHF 7'650.00

Sonetto V G2



SYSTEM 3 way floorstanding vented box -
FREQUENCY RESPONSE 35 Hz - 40000 Hz -
SENSITIVITY (2.83V/1M) 89 dB - SPL
NOMINAL IMPEDANCE 4 Ohm -
SUGGESTED AMPLIFIER POWER OUTPUT
50W – 350W without clipping - DIMENSIONS
(HxWxD) 1081x308x415 mm - WEIGHT 33,40
Kg each

Walnut
Wenge
Piano Black

Pair

CHF 6'300.00

Sonetto III G2



SYSTEM 2.5 way floorstanding vented box -
FREQUENCY RESPONSE 38 Hz-40000 Hz
SENSITIVITY (2.83V/1M) 88 dB SPL -
NOMINAL IMPEDENCE 4 Ohm -
SUGGESTED AMPLIFIER POWER OUTPUT
50W – 280W without clipping - DIMENSIONS
(HxWxD) 1058x287x350 mm - WEIGHT 25,80
Kg each

Walnut
Wenge Pair
Piano Black

CHF 4'700.00

Sonetto II G2



SYSTEM 2 way standmount bookshelf vented
box - FREQUENCY RESPONSE 42Hz-40000
Hz - SENSITIVITY 87 dB SPL - NOMINAL
IMPEDENCE 4 Ohm - SUGGESTED
AMPLIFIER POWER OUTPUT 30W – 200W -
DIMENSIONS (HXWXD) 406x227x355 mm -
OPTIONAL DEDICATED STAND (HxWxD)
687x335x406 mm WEIGHT 10,40 Kg each

Walnut
Wenge Pair
Piano Black

CHF 2'650.00

Sonetto I G2



SYSTEM 2 way standmount bookshelf vented
box - FREQUENCY RESPONSE 52Hz-40000
Hz - SENSITIVITY (2.83V/1M) 86 dB SPL -
NOMINAL IMPEDENCE 4 Ohm -
SUGGESTED AMPLIFIER POWER OUTPUT
30W – 150W without clipping - DIMENSIONS
(HXWXD) 369x200x304 mm - OPTIONAL
DEDICATED STAND (HxWxD) 687x335x406
mm - WEIGHT 8,40 Kg each

Walnut
Wenge Pair
Piano Black

CHF 2'100.00

Sonetto Stand

Pair

CHF 990.00

Sonetto Wall G2



SYSTEM 2 way wallmount closed box with
passive radiator. FREQUENCY RESPONSE 60
Hz-40000 Hz SENSITIVITY (2.83V/1M) 87 dB
SPL NOMINAL IMPEDENCE 6 ohm
SUGGESTED AMPLIFIER POWER OUTPUT
30W – 200W without clipping - DIMENSIONS
(HXWXD) 271x437x1680 mm - WEIGHT 6,80
Kg each

Walnut
Wenge unit
Piano Black

CHF 1'390.00

Sonetto Center G2



SYSTEM 3 way horizontal vented box -
FREQUENCY RESPONSE 45 Hz-40000 Hz -
SENSITIVITY (2.83V/1M) 88 dB SPL -
NOMINAL IMPEDENCE 4 Ohm -
SUGGESTED AMPLIFIER POWER OUTPUT
50W – 300W without clipping - DIMENSIONS
(HxWxD) 235x648x353 mm - WEIGHT 6,50 Kg

Walnut
Wenge unit
Piano Black

CHF 2'650.00

OLYMPICA G3 SERIE

Olympica I G3



SYSTEM 2 way standmount, paralaminar stealth flow vented loudspeaker. FREQUENCY RESPONSE 42 Hz – 40.000 Hz, tuning port included. SENSITIVITY 87 dB SPL - NOMINAL IMPEDANCE 4 ohm. SUGGESTED AMPLIFIER POWER OUTPUT 35W – 250W - DIMENSIONS (HxWxD) 370 x 210 x 337 mm (Stand included 1078 x 199.5 x 395 mm) - WEIGHT 11 kg Net

Walnut
Wenge

Pair

CHF 10'800.00

Olympica I G3 Stand

Pair

CHF 1'100.00

Olympica III G3



SYSTEM 2 way floorstanding, paralaminar stealth flow vented loudspeaker - FREQUENCY RESPONSE 40 Hz – 35.000 Hz - SENSITIVITY 90 dB SPL (2.83 V/1m) - NOMINAL IMPEDANCE 4 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 50W – 300W, without clipping - DIMENSIONS (HxWxD) 1104 x 376 x 459 mm - WEIGHT 35 kg Net

Walnut
Wenge

Pair

CHF 18'950.00

Olympica V G3



SYSTEM 3 way floorstanding, paralaminar stealth flow vented loudspeaker - FREQUENCY RESPONSE 37 Hz – 40000 Hz - SENSITIVITY 90 dB SPL - NOMINAL IMPEDANCE 4 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 50W – 400W - DIMENSIONS (HxWxD) 1174 x 424 x 529 mm - WEIGHT 44 kg Net

Walnut
Wenge

Pair

CHF 23'950.00

Olympica Center G3



SYSTEM 2 way floorstanding, paralaminar "stealth ultraflex" vented loudspeaker - FREQUENCY RESPONSE 45 Hz – 35.000 Hz - SENSITIVITY 90 dB SPL - NOMINAL IMPEDANCE 4 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 35W – 250W - DIMENSIONS (HxWxD) 241.6 (Stand included 688.6) x 616 x 397.8 mm - WEIGHT 18 kg (stand included 26 Kg) Net

Walnut
Wenge
Black

Unit

CHF 8'950.00

Olympica G3 Center Stand

Unit

CHF 1'590.00

Olympica Wall G3



SYSTEM 2-way on-wall speaker - passive radiator system - FREQUENCY RESPONSE 60Hz - 25000 Hz - NOMINAL IMPEDANCE 4 OHM - SENSITIVITY 89 dB - SUGGESTED AMPLIFIER POWER 30 - 150W - DIMENSIONS (HxWxD) 500 x 291 x 163 mm - WEIGHT 4,8 Kg

Walnut
Wenge
Black

Unit

CHF 6'200.00

ICONIC RENAISSANCE

The restyling of one of the most symbolic loudspeakers is always a hard work, but fascinating. Electa Amator III and the two other models of the Heritage Collection is the achievement of a 30-year journey. The third generation of an iconic product generated by an expression of natural evolution, with holding the elements that make us unique: precious materials, high craftsmanship and natural sound.

Concertino G4



2-way bookshelf loudspeaker system; a simple project that features main technologies and design solutions, already used for the last Sonus faber creations. FREQUENCY RESPONSE: 60 Hz – 25.000 Hz, Amplifier Power: 30 -100W, Impedance: 4 Ohm, Sensitivity: 85 dB SPL, Dimensions Speaker (HxWxD): 314x214x297 mm,

Walnut Pair **CHF 4'600.00**

Electa Amator III



2-way bookshelf loudspeaker system; a simple project that features main technologies and design solutions, already used for the last Sonus faber creations. FREQUENCY RESPONSE: 40 Hz – 35.000 Hz, Amplifier Power: 35 -200W, Impedance: 4 Ohm, Sensitivity: 88 dB SPL, Dimensions Speaker (HxWxD): 375x235x360 mm,

Walnut Pair **CHF 11'500.00**

Electa Amator III Stand

Stand: 720x300x350 mm, 9.5Kg

Pair **CHF 1'900.00**

Maxima Amator



2-way floorstanding loudspeaker system; a simple project that features main technologies and design solutions, already used for the last Sonus faber creations. LOUDSPEAKERS: Tw: H28 XTR-04 DAD™, Ø 28 mm, Mw: MW18XTR-04, Ø 180 mm, FREQUENCY RESPONSE: 25 Hz – 35.000 Hz, Amplifier Power: 35 -125W, Impedance: 4 Ohm, Sensitivity: 88 dB SPL, Dimensions Speaker (HxWxD): 375x235x360 mm, Stand: 1120x300x350 mm.

Walnut Pair **CHF 17'990.00**

HOMMAGE SERIES

Guarneri 5G Homage



2-way, full para-aperiodic vented box. Ultraflex System™ and "Zero Vibration Sensitivity Transmission" technology implemented on the dedicated stand. Frequency Response: 40 Hz – 35.000 Hz, Stealth reflex included. 87 db SPL (2.83V/1 m). 4 ohms. Suggested Amplifier Power Output: 30W – 250W, without clipping. Dimensions: (HxWxD) 377 x 239 x 375 mm, Including stand entirely made in Carbon fiber. Dimensions: (HxWxD) 758 x 300 x 390 mm

Red Wenge Graphite Pair **CHF 16'700.00**

Guarneri Stand

CHF 4'000.00

Serafino 5G Homage



3.5-way, full para-aperiodic vented box "Stealth Ultraflex System" and "Zero Vibration Transmission" technology, vibration transmission-decoupled from the floor, staggered low frequency floor standing loudspeaker system. Cross-over point: 80Hz - 250 Hz - 2.500Hz, Frequency Response: 30 Hz – 35.000 Hz, Sensitivity: 90 db SPL (2.83V/1 m), Nominal Impedance: 4 ohms. Suggested Amplifier Power Output: 80 - 350W, Dimensions: (HxWxD) 1091x396x485 mm, Weight: 52 kg

Red
Wenge
Graphite

Pair

CHF 28'500.00

Amati G5 Homage



3.5-way, full para-aperiodic vented box "Stealth Ultraflex System" and "Zero Vibration Transmission" technology, vibration transmission- decoupled from the floor, staggered low frequency floor standing loudspeaker system. "Cross-over point: - 80Hz - 250 Hz - 2.500Hz, Frequency Response: 28 Hz – 35.000 Hz, Sensitivity: 90 db SPL, Nominal Impedance: 4 ohms, Suggested Amplifier Power Output: 100 – 500W. Dimensions: (HxWxD)1176 x 411 x 512 mm, Weight: 61 Kg

Red
Wenge
Graphite

Pair

CHF 39'000.00

Homage VOX G3



SYSTEM 3 way, horizontal loudspeaker system - FREQUENCY RESPONSE 40 Hz – 35.000 Hz - SENSITIVITY 90 dB SPL - NOMINAL IMPEDANCE 4 ohm - POWER HANDLING 50W – 300W - DIMENSIONS (HxWxD) 310x825x390 mm - WEIGHT 37 Kg – net weight / 43 Kg - shipping weight.

Red
Wenge
Graphite

Unit

CHF 17'990.00

SUPREME EDITION

Amati Supreme



4.5-way, full para-aperiodic vented box "Stealth Ultraflex System" and "Zero Vibration Transmission" technology, vibration transmission- decoupled from the floor, staggered low frequency floor standing loudspeaker system. "Cross-over point: - 80Hz - 250 Hz - 2.500Hz, Frequency Response: 28 Hz – 40000 Hz, Sensitivity: 91 db SPL, Nominal Impedance: 4 ohms, Suggested Amplifier Power Output: 100 – 600W. Dimensions: (HxWxD)1176 x 411 x 512 mm, Weight: 62 Kg

Sabbia Oro Terra
Rossa Red
Wenge
Graphite

CHF 72'000.00

STRADIVARI G2 40th ANNIVERSARY



System 3-Way, Sensitivity 92 dB SPL (2.83 V/1 m) Nominal Impedance 4 Ohms Recommended Amplifier Power 100 W - 600 W Product Dimensions (HxWxD) 137.4 x 71.5 x 42.8 cm 54 x 28.1 x 16.8 inches Dimensions with packaging (HxWxD) 57 x 82 x 156 cm 24.4 x 23.3 x 61.4 inches Weight 63 kg – net weight 138.9 lb – Net Weight Weight of the package 87.65 kg 193.09 pounds per piece

CHF 55'000.00

REFERENCE SERIES

iL Cremonese



SYSTEM 3.5 way, full para-aperiodic vented box "Stealth Reflex System"- FREQUENCY RESPONSE 25 Hz – 35.000 Hz, Stealth reflex included - SENSITIVITY 92 db SPL (2.83V/1 m) - NOMINAL MPENDENCE 4 ohm SUGGESTED AMPLIFIER POWER OUTPUT 100W – 800W, without clipping - TOTAL DIMENSIONS (HXWXD) 1449.6 mm x 398.23 mm x 621.8 mm - WEIGHT 84 Kg each – net weight.

Red
Walnut
Wenge

Pair

CHF 62'500.00

II Cremonese EX3ME

Violin Red Pair

CHF 67'000.00

Lilium



SYSTEM 3.5 way, orthogonal non interactive dual enclosure, para-aperiodic vented box - FREQUENCY RESPONSE 20 Hz – 35.000 Hz, Stealth reflex included - SENSITIVITY 92 db SPL (2.83V/1 m) - NOMINAL IMPEDANCE 4 ohm - SUGGESTED AMPLIFIER POWER OUTPUT 100W – 800W, without clipping - DIMENSIONS 1600mm x 491mm x 705mm (HxWxD) - WEIGHT 103 Kg each - net weight 156 kg each - shipping weight

Red
Walnut

Pair

CHF 67'000.00

AIDA



SYSTEM 3.5 way, Sound field Shaper
Technology, "Zero Vibration Transmission"
technology, para-aperiodic vented box "Stealth
Reflex System", staggered low frequency
floorstanding loudspeaker system -
FREQUENCY RESPONSE 20 Hz – 35.000 Hz,
Stealth reflex included - SENSITIVITY 92 db
SPL - IMPEDANCE 4 ohm POWER HANDLING
100W – 1KW, without clipping - DIMENSIONS
(HxWxD) 1725mm x 482mm x 780mm -
WEIGHT 330 Kg per pair

Red
Wenge

Pair

CHF 125'000.00

GRAVIS SUBWOOFER

Gravis I



Closed box loading, down firing active subwoofer, AMPLIFICATION: High linearity Class AB, 150 W rms, 250 W (peak), Woofer: 1 x 210mm (8") very long throw, Independent Master and LFE volume control, FREQUENCY RESPONSE: From 25/35 Hz to Fc (user adjustable) Continuously adjustable Crossover frequency (30 to 120Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 334 x 286 x 316 mm including feet, 14,5 kg

Piano Black
Matte White
Walnut
Wenge

CHF 900.00

Gravis II



Closed box loading, down firing active subwoofer, AMPLIFICATION: High linearity Class AB, 350 W rms, 700 W (peak), Woofer: 1x 260mm (8") very long throw, Independent Master and LFE volume control, Continuously adjustable Crossover frequency (30 to 120Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 404 x 356 x 408 mm including feet, 21.5 kg

Piano Black
Matte White
Walnut
Wenge

CHF 1'350.00

Gravis III



Closed box loading, down firing active subwoofer, AMPLIFICATION: High linearity Class AB, 600 W rms, 900 W (peak), Woofer: 1x 260mm (8") very long throw, Independent Master and LFE volume control, Continuously adjustable Crossover frequency (30 to 120Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 400 x 415 x 495 mm including feet, 26.7 kg

Piano Black
Walnut
Wenge

CHF 2'750.00

Gravis V



Closed box single loading, active subwoofer, AMPLIFICATION: High linearity Class AB, 850 W rms, Woofer: 1x 320mm (8") very long throw, Independent Master and LFE volume control, Continuously adjustable Crossover frequency (40 to 150Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 455 x 448.50 x 448.50 mm including feet, 32 kg

Wenge
Red
Piano Black

CHF 4'600.00

Gravis VI



Closed box double loading, active subwoofer, AMPLIFICATION: High linearity Class AB, 1800 W rms, Woofer: 2x 320mm (8") very long throw, Independent Master and LFE volume control, Continuously adjustable Crossover frequency (40 to 150Hz), slope 24dB/oct; Signal phase inversion switch (0/180°), Auto switch-on/off (deselectable) DIMENSIONS (HxWxD) 616 x 448.50 x 585.50 mm including feet, 52 kg

Wenge
Red
Piano Black

CHF 6'400.00

Preis- und technische Aenderungen vorbehalten / sous réserve de changement de prix et techniques